Product sheet

NCI-H2126 | 300639

[redacted]

Description	[redacted] NCI-H2126 [redacted] [redacted] NCI-H2126 [redacted] NCI-H2126 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Applications	[redacted], [redacted]
Synonyms	H-2126, NCIH2126, NCI-H2126

[redacted]

Age	65 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H2126 ([redacted] Cytion 300639)
Biosafety level	2
NCBI_TaxID	9606

[redacted] NCI-H2126 | 300639

CellosaurusAccession	CVCL_1532

[redacted]

Isoenzymes	AK-1, 1, ES-D, 1-2, G6PD, B, GLO-I, 2, Me-2, 0, PGM1, 1-2, PGM3, 2
Tumorigenic	[redacted]
Viruses	EBV ([redacted])
Ploidy status	[redacted]

[redacted]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]
Supplements	[redacted] FBS 5%, [redacted] 0.005 [redacted], [redacted] 0.01 [redacted], [redacted]
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

NCI-H2126 | 300639

Thawing and Culturing Cells

1.
2. cryovial -150
3. 37°C
4. 70%
5. 15
6. 300 x g 3
7. 10
8.

Incubation Atmosphere

37°C, 5% $_{CO2}$,

Flask Coating

Freezing Procedure

Shipping Conditions

Storage Conditions

−150 −196 °C

/ / HLA

Sterility

PCR