Product sheet

[redacted] NCI-H2126 | 300639

[redacted]

Description	[redacted] NCI-H2126 [redacted] NCI-H2126 [redacted] NCI-H2126 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Applications	[redacted], [redacted]
Synonyms	H-2126, NCIH2126, NCI-H2126

[redacted]

Age	65 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H2126 ([redacted] Cytion 300639)
Biosafety level	2
NCBI_TaxID	9606

[redacted] NCI-H2126 | 300639

CellosaurusAccession	CVCL_1532

[redacted]

Isoenzymes	AK-1, 1, ES-D, 1-2, G6PD, B, GLO-I, 2, Me-2, 0, PGM1, 1-2, PGM3, 2
Tumorigenic	[redacted]
Viruses	EBV ([redacted])
Ploidy status	[redacted]

[redacted]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted]/[redacted] [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]
Supplements	[redacted] FBS 5%, [redacted] 0.005 [redacted]/[redacted], [redacted] 0.01 [redacted]/[redacted], [redacted]
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

NCI-H2126 | 300639

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted]