Product sheet

HK-CRISPR-NUP205-mEGFP | 301574

[redacted]

Description	[redacted] HK-CRISPR-NUP205-mEGFP [redacted] Nucleopor NUP205 [redacted] [redacted] HK-CRISPR-NUP205-mEGFP [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted] (NPC); [redacted] NUP205; [redacted]
Synonyms	HK-CRISPR-NUP205-mEGFP #81

[redacted]

Age	30 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HK-CRISPR-NUP205-mEGFP ([redacted] Cytion 301574)
Biosafety level	1

[redacted]HK-CRISPR-NUP205-mEGFP | 301574

NCBI_TaxID	9606
CellosaurusAccession	CVCL_UR49
Depositor	[redacted] (EMBL)
GMO Status	GMO-S1: [redacted] HeLa Kyoto [redacted] mEGFP [redacted] CRISPR [redacted] NUP205 [redacted]

[redacted]

Products	EGFP ([redacted])

[redacted]

Culture Medium	DMEM, w: 4.5 [redacted]/[redacted] [redacted], w: 4 [redacted] [redacted]-[redacted], w: 3.7 [redacted]/[redacted] NaHCO3, w: 1.0 [redacted] [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

HK-CRISPR-NUP205-mEGFP | 301574

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR