Product sheet

[redacted]C643 | 300298

[redacted]

Description	[redacted] C643 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	[redacted]643, [redacted]-643, [redacted]643

[redacted]

Age	76 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	C643 ([redacted] Cytion 300298)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_5969

C643 | 300298

Tumorigenic	

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)
Supplements	FBS 10%
Dissociation Reagent	
Subculturing	PBS T25
Seeding density	1 x 10^4 / . 3
Fluid renewal	2 3
Post-Thaw Recovery	4 24
Freeze medium	(FBS) + 10% DMSO

C643 | 300298

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] 3. [illegible] 37°C [illegible] 4. [illegible] 70% 5. [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] 7. [illegible] 10 [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]

[illegible] / [illegible] / HLA

Sterility	[illegible] PCR [illegible] [illegible]