

Product sheet

10.05 | 300599

NCBI_TaxID 9606

CellosaurusAccession CVCL_1639

Protein expression α - $\text{CD}7$, α - $\text{CD}18$

Antigen expression MHC I α , MHC II α

Oncogenes $\text{CD}7$ - $\text{CD}18$

Tumorigenic $\text{CD}7$ $\text{CD}18$ SCID

Culture Medium RPMI 1640, w: 2.0 mM β - ME , w: 2.0 mM NaHCO_3 (Cytion 820700a)

Supplements $\text{CD}7$ $\text{CD}18$ FBS 20%

Dissociation Reagent $\text{CD}7$ $\text{CD}18$

Subculturing $\text{CD}7$ $\text{CD}18$ PBS $\text{CD}7$ $\text{CD}18$ T25

Freeze medium $\text{CD}7$ $\text{CD}18$ (FBS) + 10% DMSO

10.05 | 300599

Thawing and Culturing Cells

1. [REDACTED]
2. [REDACTED] cryovial [REDACTED]-150 [REDACTED]
3. [REDACTED] 37°C [REDACTED]
4. [REDACTED] 70%
5. [REDACTED] 15 [REDACTED]
6. [REDACTED] 300 x g [REDACTED] 3 [REDACTED]
7. [REDACTED] 10 [REDACTED]
8. [REDACTED]

Incubation Atmosphere 37°C, 5% CO₂, [REDACTED]

Flask Coating [REDACTED]

Freezing Procedure [REDACTED]

Shipping Conditions [REDACTED]

Storage Conditions [REDACTED]-150 [REDACTED]-196 °C [REDACTED]

/ / HLA

Sterility [REDACTED] PCR [REDACTED]
[REDACTED]