

Product sheet

NCI-H82 | 300442

Receptors expressed IGF II (IGF II), ANP

Protein expression P53

Isoenzymes G6PD, B, PGM1, 1-2, PGM3, 1-2, ES-D, 1, Me-2, 1, AK-1, 1, GLO-1, 1, = 0.0082

Tumorigenic SCLC

Karyotype 58 44%

Culture Medium RPMI 1640, w: 2.0 mM, w: 2.0 / NaHCO₃ (Cytion 820700a)

Supplements FBS 10%

Subculturing 5, 5, 6 5 x 10

Split ratio 1:2 1:5

Fluid renewal 2 3

Freeze medium (FBS) + 10% DMSO

NCI-H82 | 300442

Thawing and Culturing Cells

1. [REDACTED]
2. [REDACTED] cryovial [REDACTED] -150 [REDACTED]
3. [REDACTED] 37°C [REDACTED]
4. [REDACTED] 70%
5. [REDACTED] 15 [REDACTED]
6. [REDACTED] 300 x g [REDACTED] 3 [REDACTED]
7. [REDACTED] 10 [REDACTED]
8. [REDACTED]

Incubation Atmosphere

37°C, 5% CO₂, [REDACTED]

Flask Coating

[REDACTED]

Freezing Procedure

[REDACTED]

Shipping Conditions

[REDACTED]

Storage Conditions

[REDACTED] -150 [REDACTED] -196 °C [REDACTED]

[REDACTED] / [REDACTED] / HLA

Sterility

[REDACTED] PCR [REDACTED]
[REDACTED] [REDACTED] [REDACTED]

XXXXXXXX NCI-H82 | 300442

XXXXXXXX STR

CSF1PO: 11
D13S317: 8
D16S539: 12
D5S818: 12
D7S820: 10,13
TH01: 9,9.3
TPOX: 11
vWA: 14
D3S1358: 17
D21S11: 28,3
D18S51: 14,18
Penta E: 11,12
Penta D: 10,12
D8S1179: 13
FGA: 24,25