

Product sheet

HEC-1-B | 305095

XXXXXXXXXXXXXXXXXXXX

Description HEC-1-B
HEC-1-B

Organism HEC-1-B

Tissue HEC-1-B, HEC-1-B

Disease HEC-1-B

Synonyms Hec-1-B, HEC-1B, Hec-1b, EC1-B, HEC1B, Hec1B

XXXXXX

Age 71

Gender HEC-1-B

Ethnicity HEC-1-B

Morphology HEC-1-B

Growth properties HEC-1-B

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Citation HEC-1-B (XXXXXXXXXXXXXXXXXXXX Cytion 305095)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0294

XXXXXXXXXXXXXXXXXXXX

HEC-1-B | 305095

Antigen expression HEC-1-B, Rh+

Tumorigenic Yes

HEC-1-B

Culture Medium EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)

Supplements FBS 10% NEAA 1%

Dissociation Reagent

Subculturing PBS T25

Fluid renewal 2-3

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cryovial in 37°C water bath
 2. Add 2 ml of culture medium to cryovial
 3. Centrifuge at 300 x g for 3 min
 4. Remove supernatant and wash cells with PBS
 5. Resuspend cells in 15 ml of culture medium
 6. Seed cells into T25 flask
 7. Incubate cells in 10% CO2 atmosphere
 8. Monitor cell growth and passage when cells reach 70% confluency

