Product sheet

HT-1376 [redacted] | 305100

[redacted]

Description	[redacted] HT-1376 [redacted] HT-1376 [redacted] [redacted] HT-1376 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HT1376, HT 1376, HT 1376.T

[redacted]

Age	58 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HT-1376 ([redacted] Cytion 305100)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1292

[redacted]

HT-1376 [redacted] | 305100

Protein expression	[redacted], [redacted]
Tumorigenic	[redacted]

[redacted]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([redacted] Cytion 820100a)
Supplements	[redacted] FBS 10% [redacted] NEAA 1%
Dissociation Reagent	[redacted]
Doubling time	31 [redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

HT-1376 [redacted] | 305100

Incubation Atmosphere	37°C, 5%$_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted] [redacted] [redacted] [redacted]