Product sheet

[redacted] AH-130 | 500412

[redacted]

Description	[redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Applications	[redacted]; [redacted]; [redacted]; [redacted]
Synonyms	[redacted] AH-130, [redacted] AH130, AH130, AH 130, AH-130 [redacted], AH130-TC, AH130/P

[redacted]

Breed/Subspecies	[redacted]- [redacted]
Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted] ([redacted]; Sprague-Dawley [redacted] Q)
Morphology	[redacted] [redacted]
Cell type	[redacted] ([redacted])
Growth properties	[redacted]/ [redacted]

[redacted]

Citation	AH-130 ([redacted] Cytion 500412)
Biosafety level	1
NCBI_TaxID	10116

[redacted]AH-130 | 500412

CellosaurusAccession	CVCL_4367
GMO Status	[redacted]; [redacted]

[redacted]

Tumorigenic	[redacted] Wistar [redacted]
Viruses	[redacted] RAP-test [redacted] .
Virus susceptibility	[redacted]

[redacted]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted]/[redacted] [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Doubling time	[redacted] 18 [redacted] 24 [redacted] ([redacted]; BD=[redacted])
Subculturing	[redacted] 15 [redacted] [redacted] PBS [redacted]
Split ratio	1 [redacted] 3
Seeding density	2 x 10^4 [redacted]^2/[redacted] ^
Fluid renewal	[redacted] 3 [redacted] 5 [redacted]
Post-Thaw Recovery	[redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO

[redacted]AH-130 | 500412

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]