**Product sheet**

# H9 ( HuT 78) | 300460

| | |
|---|---|
| **Description** | H9 T-cell HUT 78 H9 69 58 74 H9 |
| **Organism** | |
| **Tissue** | |
| **Disease** | ( ) |
| **Metastatic site** | |
| **Synonyms** | HT clone H9, HT(H9), H 9, H-9 |

| | |
|---|---|
| **Age** | 53 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Cell type** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | H9 ( HuT 78) ( Cytion 300460) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |

# H9 ( HuT 78) | 300460

| | |
|---|---|
| **CellosaurusAccession** | CVCL_1240 |
| **Receptors expressed** | 4 |
| **Protein expression** | 2 (IL-2) |
| **Isoenzymes** | AK-1, 0, ES-D, 1, G6PD, B, GLO-I, 1, Me-2, 0, PGM1, 1, PGM3, 0 |
| **Virus susceptibility** | HIV-1 (HTLV-III) |
| **Culture Medium** | RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 ( Cytion 820700a) |
| **Supplements** | FBS 10% |
| **Subculturing** | 5 |
| **Freeze medium** | ( FBS) + 10% DMSO |

## H9 ( HuT 78) | 300460

| | |
|---|---|
| **Thawing and Culturing Cells** | 1. [illegible]<br>2. [illegible] [illegible]cryovial [illegible]-150 [illegible] [illegible]<br>3. [illegible] [illegible]37°C [illegible]<br>4. [illegible] [illegible]70%<br>5. [illegible] [illegible]15 [illegible]<br>6. [illegible]300 x g [illegible]3 [illegible] [illegible] [illegible]<br>7. [illegible] [illegible]10 [illegible] [illegible] [illegible]<br>8. [illegible] |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, [illegible] |
| **Flask Coating** | [illegible] |
| **Freezing Procedure** | [illegible] |
| **Shipping Conditions** | [illegible] |
| **Storage Conditions** | [illegible] [illegible]−150 [illegible]−196 °C [illegible] |
| **Sterility** | [illegible]PCR [illegible]<br>[illegible] [illegible] [illegible] [illegible] |