Product sheet

3T6-[redacted] | 400104

[redacted]

Description	[redacted] 3T6-Swiss albino [redacted] [redacted] [redacted] [redacted] 3T6-Swiss albino [redacted]
Organism	[redacted]
Tissue	[redacted]
Applications	[redacted]
Synonyms	3T6 [redacted], [redacted] 3T6, NIH 3T6, 3T6, GM05862

[redacted]

Age	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	3T6-[redacted] [redacted] ([redacted] Cytion 400104)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0601

[redacted]

Tumorigenic	[redacted]

3T6-[redacted] | 400104

Viruses	[redacted] ([redacted])
Virus susceptibility	[redacted], [redacted], [redacted], [redacted] ([redacted])
Reverse transcriptase	[redacted]
Products	[redacted], [redacted]
Ploidy status	[redacted] 78-81 [redacted] (21%) [redacted]

[redacted]

Culture Medium	Ham's F12, w: 1.0 mM [redacted], w: 1.0 mM [redacted], w: 1.1 g/L NaHCO3 ([redacted] Cytion 820600a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted] 5 [redacted]
Fluid renewal	[redacted] 3 [redacted] 4 [redacted]
Post-Thaw Recovery	[redacted] 48 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

3T6-[redacted] | 400104

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]