Product sheet

HPAF-II | 305088

[redacted]

Description	HPAF-II [redacted] [redacted] HPAF-II [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	HPAF II, HPAFII, HPAF-2, HPAF2, HPAF/CD18, CD18/HPAF, HPAF-II/CD18, CD-18, CD18, CD 18

[redacted]

Age	44 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HPAF-II ([redacted] Cytion 305088)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0313

HPAF-II | 305088

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	FBS 10% NEAA 1%
Dissociation Reagent	
Doubling time	26
Subculturing	PBS T25
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,

HPAF-II | 305088

Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR