

NCI-H69 | 300185

Protein expression P53,
 Isoenzymes G6PD, B, PGM1, 2, PGM3, 1, ES-D, 2, Me-2, 1, AK-1, 1, GLO-1, 1-2, 0.00006
 Tumorigenic
 Karyotype 3p. = 40 73

Culture Medium RPMI 1640, w: 2.0 mM, w: 2.0 / NaHCO3 (Cytion 820700a)

Supplements FBS 10%

Doubling time 69

Subculturing

Seeding density 1 x 10⁵ /

Fluid renewal 2 3

Post-Thaw Recovery 24

Freeze medium (FBS) + 10% DMSO

NCI-H69 | 300185

Thawing and Culturing Cells

1. [REDACTED]
2. [REDACTED] cryovial [REDACTED] -150 [REDACTED]
3. [REDACTED] 37°C [REDACTED]
4. [REDACTED] 70%
5. [REDACTED] 15 [REDACTED]
6. [REDACTED] 300 x g [REDACTED] 3 [REDACTED]
7. [REDACTED] 10 [REDACTED]
8. [REDACTED]

Incubation Atmosphere

37°C, 5% CO₂, [REDACTED]

Flask Coating

[REDACTED]

Freezing Procedure

[REDACTED]

Shipping Conditions

[REDACTED]

Storage Conditions

[REDACTED] -150 [REDACTED] -196 °C [REDACTED]

[REDACTED] / [REDACTED] / HLA

Sterility

[REDACTED] PCR [REDACTED]

[REDACTED]

XXXXXXXXXX NCI-H69 | 300185

XXXXXXXXXXXX HLA **A***: '02:01:01, '23:01:01
 B*: '01:01:01, '01.02.1900 03:01
 C*: '07:01:01, '14:02:01
 DRB1*: '04:04:01, '04:05:01
 DQA1*: '03:01:01, '03:03:01
 DQB1*: '03:02:01
 DPB1*: '01:01:01G, '03:01:01G
 E: '01:01:01