Product sheet

RBL-2H3 | 305194

[redacted]

Description	[redacted] RBL-2H3 [redacted] RBL-2H3 [redacted] RBL-2H3 [redacted] [redacted] [redacted] [redacted] RBL-2H3 [redacted] [redacted] RBL-2H3 [redacted] A23187 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	[redacted]2[redacted]3, [redacted] 2[redacted]3, [redacted]2[redacted]3

[redacted]

Breed/Subspecies	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	RBL-2H3 ([redacted] Cytion 305194)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_0591

[redacted]

[redacted]

[redacted] RBL-2H3 | 305194

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([redacted] Cytion 820100a)
Supplements	[redacted] FBS 10% [redacted] NEAA 1%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Split ratio	1:2 [redacted] 1:4
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO
Thawing and Culturing Cells	

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

RBL-2H3 | 305194

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR