

BT-20 | 300130

Antigen expression	HLA A1, Bw16 (+/-)
Isoenzymes	PGM3, 1, PGM1, 1, ES-D, 1, AK-1, 1-2, G6PD, B, GLO-1, 1-2, XXXXXXXXXXXXXXXXXXXX 0.0115
Oncogenes	Wnt4 +, wnt7h +
Tumorigenic	XX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX adenocarcinoma XXXXXX II
Reverse transcriptase	XXXXXX
Mutational profile	XXXXXXXXXXXXXXXXXXXX TP53
Karyotype	XXXXXXXXXXXX = 50 XXXXXXXXXXXXXXXXXXXX (subtelocentric) (P
XXXXXXXXXXXX	
Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 XXXXX / XXXXX XXXXXX , w: 2.5 XXXXXXXXXXXX L- XXXXXX , w: 15 XXXXXXXXXXXX HEPES, w: 0.5 XXXXXXXXXXXX
Supplements	XXXXXXXXXXXXXXXXXXXX FBS 10%
Dissociation Reagent	XXXXXX
Subculturing	XXXXXXXXXXXXXXXXXXXX PBS XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX T25 XXXX
Seeding density	1 x 10 ⁴ XXXXXX / XX . XXXXXXXXXXXXXXXXXXXX 6 XXXX
Fluid renewal	2 XXXX 3 XXXXXXXXXXXX
Freeze medium	XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX (XXXXXX FBS) + 10% DMSO

BT-20 | 300130

Thawing and Culturing Cells

1. [REDACTED]
2. [REDACTED] cryovial [REDACTED]-150 [REDACTED]
3. [REDACTED] 37°C [REDACTED]
4. [REDACTED] 70% [REDACTED]
5. [REDACTED] 15 [REDACTED]
6. [REDACTED] 300 x g [REDACTED] 3 [REDACTED]
7. [REDACTED] 10 [REDACTED]
8. [REDACTED]

Incubation Atmosphere 37°C, 5% CO₂, [REDACTED]

Flask Coating [REDACTED]

Freezing Procedure [REDACTED]

Shipping Conditions [REDACTED]

Storage Conditions [REDACTED]-150 [REDACTED]-196 °C [REDACTED]

[REDACTED] / [REDACTED] / HLA

Sterility [REDACTED] PCR [REDACTED]
[REDACTED]

