Product sheet

NCI-H460 | 305020

[redacted]

Description	NCI-H460 [redacted] H460 [redacted] NCI-H460 [redacted] HPRT [redacted] AK-1, ES-D [redacted] Me-2 [redacted] t(10q14q), der(16)t(7;16)(q11.23;q22) [redacted] p53 mRNA [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	NCI-H460, NCI.H460, H-460, NCIH460, NCI-HUT-460, NCI-460

[redacted]

Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	H-460 ([redacted] Cytion 305020)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0459

[redacted]

Tumorigenic	[redacted]

NCI-H460 | 305020

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)
Supplements	FBS 10%
Dissociation Reagent	
Subculturing	PBS T25
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

NCI-H460 | 305020

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR