Product sheet

[redacted] Hep-CLS-C9 | 400195

[redacted]

Description	[redacted] C3H/HE: [redacted] C3H/HE [redacted] N-nitro
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HEP-CLS-C9, C9

[redacted]

Breed/Subspecies	C3H/HE
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Hep-CLS-C9 ([redacted] Cytion 400195)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5776

[redacted]

Tumorigenic	[redacted] C3H/HE

[redacted] Hep-CLS-C9 | 400195

Mutational profile	[redacted]53 [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]/[redacted]^
Fluid renewal	[redacted]3 [redacted]5 [redacted]
Post-Thaw Recovery	[redacted]4 [redacted] 24 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

Hep-CLS-C9 | 400195

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR