**Product sheet**

## WB-F344 | 305201

### [illegible]

| | |
|---|---|
| **Description** | [illegible] WB-F344 [illegible] WB-F344 [illegible] WB-F344 [illegible] |
| **Organism** | [illegible] |
| **Tissue** | [illegible] |
| **Synonyms** | WB F344, WBF344 |

### [illegible]

| | |
|---|---|
| **Breed/Subspecies** | [illegible] 344 |
| **Age** | [illegible] |
| **Gender** | [illegible] |
| **Morphology** | [illegible] |
| **Growth properties** | [illegible] |

### [illegible]

| | |
|---|---|
| **Citation** | WB-F344 ([illegible] Cytion 305201) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10116 |
| **CellosaurusAccession** | CVCL_9806 |

### [illegible]

### [illegible]

## WB-F344 | 305201

| | |
|---|---|
| **Culture Medium** | EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ( Cytion 820100a) |
| **Supplements** | FBS 7% NEAA 1% |
| **Dissociation Reagent** | |
| **Subculturing** | PBS T25 |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | ( FBS) + 10% DMSO |
| **Thawing and Culturing Cells** | 1.<br>2. cryovial -150<br>3. 37°C<br>4. 70%<br>5. 15<br>6. 300 x g 3<br>7. 10<br>8. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, |
| **Flask Coating** | |
| **Shipping Conditions** | |

## WB-F344 | 305201

| | |
|---|---|
| **Storage Conditions** | −150 −196 °C |

**Sterility**

PCR