Product sheet

[redacted] SK-N-BE(2) | 305058

[redacted]

Description	[redacted] dopamine [redacted] SK-N-BE(2) [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	SK-N-BE2, SK-N-BE-2, SKNBE(2), SKNBE-2, SKNBE2, SK-N-BE, SKNBE

[redacted]

Age	2 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]/[redacted]

[redacted]

Citation	SK-N-BE(2) ([redacted] Cytion 305058)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0528

[redacted]

Tumorigenic	[redacted]

[redacted] SK-N-BE(2) | 305058

[redacted]

Culture Medium	[redacted] EMEM [redacted] Ham's F12 [redacted] 50:50 ([redacted] Cytion 820100a [redacted] 820600a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] 15 [redacted] PBS [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] 50% basal medium + 40% FBS + 10% DMSO [redacted] CM-1 ([redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

SK-N-BE(2) | 305058

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR