Product sheet

[redacted] NCI-H2452 | 300391

[redacted]

Description	[redacted] NCI-H2452 [redacted] [redacted] NCI-H2452 [redacted] Coxsackie [redacted] adenovirus (CAR) [redacted] CD46 [redacted] adenovirus [redacted] (Ad5F35) [redacted] NCI-H2452 [redacted] [redacted] (oncolytic virotherapy) [redacted] [redacted] NCI-H2452 [redacted] granulins [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	NCI-H2452, H-2452, NCIH2452

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H2452 ([redacted] Cytion 300391)
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1553

[redacted]

[redacted] NCI-H2452 | 300391

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted] [redacted]
3. [redacted] [redacted] 37°C [redacted]
4. [redacted] [redacted] 70%
5. [redacted] [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted] [redacted] [redacted]
7. [redacted] [redacted] 10 [redacted] [redacted] [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted] [redacted]
Freezing Procedure	[redacted]

NCI-H2452 | 300391

Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR