





**SK-N-MC | 300340**

**Thawing and Culturing Cells**

1. 

1. Thaw the cryovial in a water bath at 37°C.
2. 

2. Transfer the cells to a cryovial and store at -150°C.
3. 

3. Thaw the cryovial in a water bath at 37°C.
4. 

4. Transfer the cells to a flask and add 70% of the medium.
5. 

5. Incubate the cells for 15 days.
6. 

6. Harvest the cells by centrifugation at 300 x g for 3 minutes.
7. 

7. Wash the cells with PBS for 10 minutes.
8. 

8. Resuspend the cells in the appropriate medium.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, humidified

**Flask Coating**

Coated with poly-D-lysine

**Freezing Procedure**

Resuspend cells in freezing medium and store at -150°C

**Shipping Conditions**

Store at -150°C

**Storage Conditions**

Store at -150°C to -196°C

**SK-N-MC / SK-N-MC / HLA**

**Sterility**

PCR negative

██████████SK-N-MC | 300340

---

██████████████████HLA    **A\***: '01:01:01, '25:01:01  
                                  **B\***: '08:01:01, '08:01:01G  
                                  **C\***: '07:01:01  
                                  **DRB1\***: '03:01:01, '15:01:01G  
                                  **DQA1\***: '01:02:01, '05:01:01  
                                  **DQB1\***: '02:01:01, '06:02:01  
                                  **DPB1\***: '01:01:01, '04:02:01  
                                  **E**: '01:01:01