Product sheet

HuTu-80 | 300218

[illegible]

Description	[illegible] HuTu-80 [illegible] [illegible] HuTu-80 [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	[illegible] 80, [illegible] 80, [illegible] 80, [illegible]-80, [illegible]-80, [illegible]80, [illegible]80, [illegible]80

[illegible]

Age	53 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	HuTu-80 ([illegible] Cytion 300218)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1301

[illegible]

HuTu-80 | 300218

Receptors expressed	
Antigen expression	B, Rh+
Isoenzymes	PGM3, 1-2, PGM1, 1-2, ES-D, 1, Me-2, 2, AK-1, 1, GLO-1, 2, G6PD, B, : 0.0017
Tumorigenic	(I)
Ploidy status	
Karyotype	(P12) = 46

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	FBS 10% NEAA 1%
Dissociation Reagent	
Doubling time	26 30
Subculturing	PBS T25
Seeding density	2 x 10
Fluid renewal	2 3
Post-Thaw Recovery	
Freeze medium	(FBS) + 10% DMSO

HuTu-80 | 300218

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR