Product sheet

[redacted] NCI-H716 | 305079

[redacted]

Description	[redacted] NCI-H716 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	NCI H716, NCI-H716, H-716, NCIH716

[redacted]

Age	33 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted], [redacted] [redacted]

[redacted]

Citation	NCI-H716 ([redacted] Cytion 305079)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1581

[redacted] NCI-H716 | 305079

[redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Doubling time	50 [redacted]
Subculturing	[redacted] [redacted]
Split ratio	1:2 [redacted] 1:5
Seeding density	> 3 x 10^5 [redacted]/[redacted]
Fluid renewal	[redacted] 1 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO
Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]

NCI-H716 | 305079

Incubation Atmosphere	37°C, 5%$_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR