

Product sheet

WEHI-164 | 400438

XXXXXXXXXXXXXXXXXXXX

Description WEHI-164 BALB/c 3-
WEHI-164
WEHI-164

Organism XXXXX

Disease XXXXXXXXXXXXXXX

Synonyms WEHI 164, WEHI164, WEHI 164 TC

XXXXXXXXXX

Breed/Subspecies BALB/c

Morphology XXXXXXXXXXXXXXXXXXXXXXX

Cell type XXXXXXXXXXXXXXX

Growth properties XXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Citation WEHI-164 (XXXXXXXXXXXXXXXXXXXX Cytion 400438)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_2251

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Tumorigenic XXX XXXXX Balb/c

XXXXXXXXXXXXXXXXXXXX

WEHI-164 | 400438

Culture Medium RPMI 1640, w: 2.0 mM β -mercaptoethanol, w: 2.0 mM/1000 NaHCO₃ (Cytion 820700a)

Supplements FBS 10%

Dissociation Reagent

Subculturing PBS T25

Seeding density 1×10^4 cells/cm²

Fluid renewal 2-3 times

Post-Thaw Recovery 48

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cryovial in 37°C water bath
 2. Transfer cells to cryovial
 3. Centrifuge at 300 x g for 3 min
 4. Wash cells with PBS
 5. Resuspend cells in 15 ml PBS
 6. Centrifuge at 300 x g for 3 min
 7. Wash cells with PBS
 8. Resuspend cells in 10 ml PBS

Incubation Atmosphere 37°C, 5% CO₂

