

XXXXXX Hep-CLS-1W | 400414

Description	C3H/HE: C3H/HE N-nitro
Organism	
Tissue	
Disease	
Synonyms	HEP-CLS-1W

XXXXXXXXXXXX

Breed/Subspecies	C3H/HE
Age	XXXXXXXXXX
Gender	XXXXXXXXXX
Morphology	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Growth properties	XXXXXXX

Citation	Hep-CLS-1W (XXXXXXXXXXXXX Cytion 400414)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5775

Tumorigenic C3H/HE

XXXXXXXXXXXX

Product sheet

Hep-CLS-1W | 400414

Culture Medium	Ham's F12, w: 1.0 mM β -mercaptoethanol, w: 1.0 mM β -mercaptoethanol, w: 1.1 g/L NaHCO ₃ (Cytion 820600a)
Supplements	FBS 10%
Dissociation Reagent	
Subculturing	PBS T25
Seeding density	1×10^4 cells/cm ²
Fluid renewal	2-3 times
Post-Thaw Recovery	4 weeks
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. Thaw cryovial in 37°C water bath 2. Transfer cells to cryovial -150 °C 3. Incubate cells at 37°C 4. Wash cells with PBS (70%) 5. Incubate cells at 15 °C 6. Wash cells 300 x g 3 min 7. Incubate cells at 10 °C 8. Incubate cells at 37°C
Incubation Atmosphere	37°C, 5% CO ₂ , humidified

XXXXXX Hep-CLS-1W | 400414

Flask Coating XXXXXX

Freezing Procedure

Shipping Conditions

Storage Conditions

Sterility