



PC-9 | 305045

**Tumorigenic**     

XXXXXXXXXX

**Culture Medium**      RPMI 1640, w: 2.0 mM XXXXXXXXXXXXXXX, w: 2.0 XXXXX/XXXXX NaHCO3 (XXXXXXXXXXXXXXXXX Cytion 820700a)

**Supplements**      XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX FBS 10%

**Dissociation Reagent**      XXXXXXXXXXXXX

**Subculturing**      XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 15 XX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX PBS XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

**Split ratio**      01:08

**Fluid renewal**      1 XXX 2 XXXXXXXXXXXXXXX

**Freeze medium**      XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX (XXXXXXX FBS) + 10% DMSO

**Thawing and Culturing Cells**

1. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
2. XXXXXXXXXXXXXXX cryovial XXXXXXXXXXXXXXXXXXXXXXX -150 XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX
3. XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 37°C XXXXXXXXXXXXXXX
4. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 70%
5. XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 15 XXXXXXXXXXXXXXX
6. XXXXXXXXXXXXXXX 300 x g XXXXXXXXXXXXXXX 3 XXXXXXXXXXXXXXX XXXXXXXXXXXXXXX
7. XXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 10 XXXXXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXXXXXXXXXX
8. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX

**Incubation Atmosphere**      37°C, 5% CO<sub>2</sub>, XXXXXXXXXXXXXXX

