Product sheet

RH-35 [redacted] | 305210

[redacted]

Description	[redacted] H4-II-E ([redacted] RH-35) [redacted] Reuber H-35 [redacted] [redacted] H4-II-E [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H4II, H-35tc2, [redacted] Reuber-H-35 2, Reuber H-35 tc2, Reuber H35 tc2, H-35 Reuber tc2, H3 RH35 tc2, H-35 tc2, H35 tc2

[redacted]

Breed/Subspecies	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	RH-35 ([redacted] Cytion 305210)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4623

[redacted]

[redacted]

RH-35 [illegible] | 305210

Culture Medium	Ham's F12, w: 1.0 mM [illegible], w: 1.0 mM [illegible], w: 1.1 g/L NaHCO3 ([illegible] Cytion 820600a)
Supplements	[illegible] FBS 10%
Dissociation Reagent	[illegible]
Subculturing	[illegible] PBS [illegible] [illegible] T25 [illegible]
Split ratio	1:2 [illegible] 1:4
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] [illegible] ([illegible] FBS) + 10% DMSO
Thawing and Culturing Cells	1. [illegible] [illegible] 2. [illegible] [illegible] cryovial [illegible] -150 [illegible] [illegible] 3. [illegible] [illegible] 37°C [illegible] 4. [illegible] [illegible] 70% 5. [illegible] [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] [illegible] [illegible] 7. [illegible] [illegible] 10 [illegible] [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]

RH-35 [redacted] | 305210

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]