Product sheet

OS-RC-2 [redacted] | 305086

[redacted]

Description	[redacted] OS-RC-2 [redacted] (RCC) [redacted] OS-RC-2 [redacted] [redacted] OS-RC-2 [redacted] RCC [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	OSRC2, RC-2

[redacted]

Age	52 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	OS-RC-2 ([redacted] Cytion 305086)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1626

[redacted]

OS-RC-2 [illegible] | 305086

Tumorigenic	[illegible]

[illegible]

Culture Medium	RPMI 1640, w: 2.0 mM [illegible], w: 2.0 [illegible]/[illegible] NaHCO3 ([illegible] Cytion 820700a)
Supplements	[illegible] FBS 10%
Dissociation Reagent	[illegible]
Subculturing	[illegible] PBS [illegible] [illegible] T25 [illegible]
Split ratio	1:2 [illegible] 1:4
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] [illegible] (FBS) + 10% DMSO

Thawing and Culturing Cells

1. [illegible]
2. [illegible] cryovial [illegible] -150 [illegible]
3. [illegible] 37°C [illegible]
4. [illegible] 70%
5. [illegible] 15 [illegible]
6. [illegible] 300 x g [illegible] 3 [illegible]
7. [illegible] 10 [illegible]
8. [illegible]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]

OS-RC-2 [redacted] | 305086

Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]