Product sheet

[redacted] SW-579 | 300346

[redacted]

Description	SW-579 [redacted] S [redacted] BSP [redacted] SW-579 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	SW579, SW 579

[redacted]

Age	59 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	SW-579 ([redacted] Cytion 300346)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_3603

[redacted]

[redacted] SW-579 | 300346

Antigen expression	[redacted] O, Rh+
Isoenzymes	Me-2, 1-2, PGM3, 1, PGM1, 1-2, ES-D, 1, AK-1, 1, GLO-1, 2, G6PD, B, [redacted]: 0.0209
Oncogenes	Myc +, myb + , ras +, fos +, sis +, p53 +, abl -, ros -, src -, N-myc -.
Tumorigenic	[redacted], [redacted] III [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

SW-579 | 300346

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR