[redacted] TM3 | 305167

[redacted]

Description	[redacted] TM3 [redacted] Leydig [redacted] 11 [redacted] 13 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] Leydig [redacted] ([redacted]; [redacted] BALB/c)
Metastatic site	[redacted] ([redacted])
Applications	[redacted]; [redacted]; [redacted] LH/cAMP; [redacted]/ [redacted]/
Synonyms	TM-3

[redacted]

Breed/Subspecies	BALB/c
Age	11 [redacted] 13 [redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	TM3 ([redacted] Cytion 305167)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_4326

[redacted] TM3 | 305167

GMO Status	[redacted]; [redacted] Leydig [redacted]

[redacted]

[redacted]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted]/[redacted] [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]
Supplements	[redacted] FBS 2.5% [redacted] 5%
Dissociation Reagent	[redacted]
Doubling time	[redacted] 36 [redacted] 48 [redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Split ratio	1 [redacted] 3
Seeding density	1 [redacted] 3×10^4 [redacted]/[redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 5×10^4 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO

TM3 | 305167

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR