

**Product sheet**

**D283Med | 300330**

**Description** 6  
D283Med  
D283Med

**Organism**

**Tissue**

**Disease**

**Applications**

**Synonyms** D283, D283 MED, D283-MED, D283\_Med, D-283, D-283MED, D283MED, D283-Med, D-283, D283, 283, H283

**Age** 6

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** D283Med (Cytion 300330)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1155

**Product sheet**

**D283Med | 300330**

**Protein expression** [REDACTED]

**Isoenzymes** AK-1, 1, ES-D, 1, G6PD, B, GLO-I, 2, Me-2, 0, PGM1, 1, PGM3, 1

**Tumorigenic** [REDACTED]

**Karyotype** [REDACTED] 45, xY, -7, -8, -17, -20, der(20)t(1,20)(q12,q13), 8q+, 17p+ ([REDACTED] = 41 [REDACTED] 46) [REDACTED] der(20)t(1,20)(q12,q13), 8q+ [REDACTED] 17p+ N7, N17 [REDACTED] N20 [REDACTED] x [REDACTED] Y [REDACTED]

**Culture Medium** EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO<sub>3</sub>, w: EBSS ([REDACTED] Cytion 820100a)

**Supplements** [REDACTED] FBS 10% [REDACTED] NEAA 1%

**Subculturing** [REDACTED] 15 [REDACTED] PBS [REDACTED]

**Freeze medium** [REDACTED] ([REDACTED] FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. [REDACTED]
  2. [REDACTED] cryovial [REDACTED] -150 [REDACTED]
  3. [REDACTED] 37°C [REDACTED]
  4. [REDACTED] 70%
  5. [REDACTED] 15 [REDACTED]
  6. [REDACTED] 300 x g [REDACTED] 3 [REDACTED]
  7. [REDACTED] 10 [REDACTED]
  8. [REDACTED]

**Product sheet**

**D283Med | 300330**

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, [REDACTED]

**Flask Coating** [REDACTED]

**Freezing Procedure** [REDACTED]

**Shipping Conditions** [REDACTED]

**Storage Conditions** [REDACTED] -150 [REDACTED] -196 °C [REDACTED]

/ / HLA

**Sterility** [REDACTED] PCR [REDACTED]  
[REDACTED] [REDACTED] [REDACTED]