Product sheet

[redacted] HK EGFP-Cap-D2 | 300675

[redacted]

Description	[redacted] HK EGFP-Cap-D2 [redacted] Hela Kyoto [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HeLa Kyoto EGFP CAP-D2, HeLa Kyoto Cap-D2 EGFP

[redacted]

Age	30 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	HK EGFP-Cap-D2 ([redacted] Cytion 300675)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D60
Depositor	[redacted] (EMBL)
GMO Status	GMO-S1: [redacted] HeLa Kyoto [redacted] EGFP-Cap-D2 [redacted]

HK EGFP-Cap-D2 | 300675

Protein expression	EGFP-CAP-D2, 80% : / : 1..589 / Pcmv, 619..645 / Flag-tag, 646..660, 1375..1389/ 1435..5638/CAP-D2, 6886..7680/KanR/NeoR
Products	CMV Promotor, FLAG octapeptide, Glycin linker, Neomycin, Phosphotransferase

Culture Medium	DMEM, w: 4.5 /, w: 4 -, w: 3.7 / NaHCO3, w: 1.0
Supplements	FBS 10%
Dissociation Reagent	
Subculturing	PBS T25
Seeding density	1 x 10^4 cm^2/ ^
Fluid renewal	2 3
Post-Thaw Recovery	4 24
Freeze medium	(FBS) + 10% DMSO

HK EGFP-Cap-D2 | 300675

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR