

**HROG17 T1 M1 | 300875**

**Description**  
HROG17 T1 M1 [REDACTED] (GBM) [REDACTED]  
HROG17 T1 M1 [REDACTED]  
EGFR [REDACTED] TP53, IDH1/2, KRAS [REDACTED] BRAF [REDACTED]  
HROG17 T1 M1 [REDACTED]

**Organism** [REDACTED]

**Tissue** [REDACTED]

**Disease** [REDACTED]

**Age** 70 [REDACTED]

**Gender** [REDACTED]

**Ethnicity** [REDACTED]

**Growth properties** [REDACTED]

**Citation** HROG17 T1 M1 ([REDACTED] Cytion 300875)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_B7FQ

Product sheet

HROG17 T1 M1 | 300875

**Culture Medium** DMEM:Ham's F12 (1:1), w: 3.1 g/L / 100 mL, w: 2.5 g/L L-glutamine, w: 15 mg/L HEPES, w: 0.5 g/L

**Supplements** FBS 10%

**Dissociation Reagent** TrypLE Express, 37°C, 10 min

**Subculturing** PBS, T25

**Freeze medium** 50% basal medium + 40% FBS + 10% DMSO CM-1

**Thawing and Culturing Cells**

1. Thaw cryovial in 37°C water bath
2. Add cryovial contents to 10 mL cryovial containing 50% basal medium + 40% FBS + 10% DMSO
3. Incubate at 37°C for 15 min
4. Add to 70% confluence flask
5. Incubate at 37°C for 15 min
6. Add 300 x g centrifuge 3 min
7. Incubate at 37°C for 10 min
8. Resuspend in 10 mL medium

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, humidified

**Flask Coating** None

**Freezing Procedure** None

**Shipping Conditions** None

