Product sheet

HCC1806 | 300467

Description	[illegible] HCC1806 [illegible] 60 [illegible] AEB071 [illegible] HCC1806 [illegible] HCC1806 [illegible]
Organism	[illegible]
Tissue	[illegible], [illegible]
Disease	[illegible], [illegible]
Applications	[illegible], [illegible]
Synonyms	Hcc1806, HCC-1806, [illegible] 1806

Age	60 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Cell type	[illegible]
Growth properties	[illegible]

Citation	HCC1806 ([illegible] Cytion 300467)
Biosafety level	1
NCBI_TaxID	9606

HCC1806 | 300467

CellosaurusAccession	CVCL_1258

Receptors expressed	[illegible], [illegible], [illegible], [illegible]
Protein expression	[illegible] 2 (EGP2), [illegible] 19
Oncogenes	Her2/neu-, p53-
Karyotype	[illegible] = 59 [illegible] = 75 [illegible] 65 [illegible] 79 [illegible] = 2

Culture Medium	RPMI 1640, w: 2.0 mM [illegible], w: 2.0 [illegible]/[illegible] NaHCO3 ([illegible] Cytion 820700a)
Supplements	[illegible] FBS 10%
Dissociation Reagent	[illegible]
Subculturing	[illegible] PBS [illegible] T25 [illegible]
Freeze medium	[illegible] (FBS) + 10% DMSO

HCC1806 | 300467

Thawing and Culturing Cells

1. [illegible]
2. [illegible] cryovial [illegible] -150 [illegible] [illegible]
3. [illegible] 37°C [illegible]
4. [illegible] 70%
5. [illegible] 15 [illegible]
6. [illegible] 300 x g [illegible] 3 [illegible] [illegible] [illegible]
7. [illegible] 10 [illegible] [illegible] [illegible]
8. [illegible]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]

/ / HLA

Sterility	[illegible] PCR [illegible] [illegible] [illegible] [illegible]