

HROC107 [REDACTED] | 300845

[REDACTED]

Description	[REDACTED] PD Dr. Michael Linnebacher [REDACTED]
Organism	[REDACTED]
Tissue	[REDACTED], UICC IV
Disease	[REDACTED], TNM stage T3N2M1R0L1V0, [REDACTED] G2, Lk(n) +10, Σ Lk(n) 18
Synonyms	HROC107 cT0 M2

[REDACTED]

Age	74 [REDACTED]
Gender	[REDACTED]
Ethnicity	[REDACTED]
Morphology	[REDACTED]
Growth properties	[REDACTED]




























[REDACTED]

Citation	HROC107 ([REDACTED] Cytion 300845)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D11

[REDACTED]

















Protein expression	[REDACTED]
---------------------------	------------


HROC107  | 300845

Antigen expression	CDx (+/-), Cdy (-)
Tumorigenic	
Viruses	 SV40, JC/BK, HBV, HCV, HIV
Ploidy status	
MSI-status	
Mutational profile	P53  , APC  , K-RasG12VA, N-Raswt, H-Raswt, PIK3CAwt, B-Rafwt
	
Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1  ,  , w: 2.5  L-  , w: 15  HEPES, w: 0.5 
Supplements	 FBS 10%
Dissociation Reagent	
Doubling time	27 
Subculturing	 PBS   T25 
Seeding density	$1 \times 10^4 \frac{2}{\text{cm}^2}$
Fluid renewal	 3  5 
Post-Thaw Recovery	
Freeze medium	  ( FBS) + 10% DMSO

HROC107  | 300845

Thawing and Culturing Cells

1.  
2.  cryovial  -150 
3.  37°C 
4.  70%
5.  15 
6.  300 x g  3 
7.  10 
8. 

Incubation Atmosphere 37°C, 5%_{CO2} 

Flask Coating 

Freezing Procedure 

Shipping Conditions 

Storage Conditions  -150  -196 °C 

 /  / HLA

Sterility  PCR 