





**U2OS-CRISPR-NUP96-mEGFP | 300174**

**Thawing and Culturing Cells**

1. **Thawing** **U2OS-CRISPR-NUP96-mEGFP** cells from liquid nitrogen storage. **U2OS-CRISPR-NUP96-mEGFP** cells are thawed in a water bath at 37°C.
2. **U2OS-CRISPR-NUP96-mEGFP** cells are resuspended in 1 mL of **U2OS-CRISPR-NUP96-mEGFP** cryovial **U2OS-CRISPR-NUP96-mEGFP** -150 **U2OS-CRISPR-NUP96-mEGFP** cells.
3. **U2OS-CRISPR-NUP96-mEGFP** cells are seeded into a 24-well plate at a density of **U2OS-CRISPR-NUP96-mEGFP** cells/37°C **U2OS-CRISPR-NUP96-mEGFP** cells.
4. **U2OS-CRISPR-NUP96-mEGFP** cells are cultured in **U2OS-CRISPR-NUP96-mEGFP** cells 70% confluence.
5. **U2OS-CRISPR-NUP96-mEGFP** cells are cultured in **U2OS-CRISPR-NUP96-mEGFP** cells 15 **U2OS-CRISPR-NUP96-mEGFP** cells.
6. **U2OS-CRISPR-NUP96-mEGFP** cells are centrifuged at 300 x g **U2OS-CRISPR-NUP96-mEGFP** cells 3 **U2OS-CRISPR-NUP96-mEGFP** cells.
7. **U2OS-CRISPR-NUP96-mEGFP** cells are resuspended in **U2OS-CRISPR-NUP96-mEGFP** cells 10 **U2OS-CRISPR-NUP96-mEGFP** cells.
8. **U2OS-CRISPR-NUP96-mEGFP** cells are seeded into a 24-well plate at a density of **U2OS-CRISPR-NUP96-mEGFP** cells.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, **U2OS-CRISPR-NUP96-mEGFP** cells

**Flask Coating** **U2OS-CRISPR-NUP96-mEGFP** cells

**Freezing Procedure** **U2OS-CRISPR-NUP96-mEGFP** cells

**Shipping Conditions** **U2OS-CRISPR-NUP96-mEGFP** cells

**Storage Conditions** **U2OS-CRISPR-NUP96-mEGFP** cells -150 **U2OS-CRISPR-NUP96-mEGFP** cells -196 °C **U2OS-CRISPR-NUP96-mEGFP** cells

**U2OS-CRISPR-NUP96-mEGFP** / **U2OS-CRISPR-NUP96-mEGFP** / HLA

**Sterility** **U2OS-CRISPR-NUP96-mEGFP** cells PCR **U2OS-CRISPR-NUP96-mEGFP** cells

**U2OS-CRISPR-NUP96-mEGFP** cells **U2OS-CRISPR-NUP96-mEGFP** cells **U2OS-CRISPR-NUP96-mEGFP** cells