Product sheet

L-138 | 400384

[redacted]

Description	[redacted] L-138 [redacted] M138 [redacted] [redacted] L-138 [redacted] M-24 [redacted] [redacted] L-138 [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Synonyms	M138, M 138, M-24 (M138), M-24, L138

[redacted]

Breed/Subspecies	BALB/c
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	L-138 ([redacted] Cytion 400384)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_J758

[redacted]

Products	[redacted] ([redacted], IgG1) [redacted] ([redacted] M-24) CLS [redacted]

[redacted]

[redacted] L-138 | 400384

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Subculturing	[redacted] 5 x 10
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]

L-138 | 400384

Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR