Product sheet

[redacted] Neuro-2a | 400394

[redacted]

Description	[redacted] Neuro-2a [redacted] N2A [redacted] Neuro 2a [redacted] N2A [redacted] [redacted] Neuro-2a (N2A) [redacted]
Organism	[redacted]
Disease	[redacted]
Synonyms	NEURO-2A, Neuro 2a, Neuro2a, Neuro2A, N-2a, N2a, N2A, Nb2a, NB2a

[redacted]

Breed/Subspecies	[redacted]/[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Neuro-2a ([redacted] Cytion 400394)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0470

[redacted]

Antigen expression	[redacted]-2[redacted]
Viruses	[redacted] ([redacted]): [redacted]

[redacted] Neuro-2a | 400394

Virus resistance	[redacted] 1
Reverse transcriptase	[redacted]
Products	[redacted], [redacted]

[redacted]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([redacted] Cytion 820100a)
Supplements	[redacted] FBS 10% [redacted] NEAA 1%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]/[redacted] ^
Fluid renewal	1 [redacted] 2 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

[redacted] Neuro-2a | 400394

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]