Product sheet

# [redacted] EAT | 400169

## [redacted]

| | |
|---|---|
| **Description** | [redacted] |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Disease** | [redacted] |
| **Synonyms** | [redacted], [redacted], [redacted], [redacted] E, [redacted] EAT E, [redacted] |

## [redacted]

| | |
|---|---|
| **Age** | [redacted] |
| **Gender** | [redacted] |
| **Morphology** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | EAT ([redacted] Cytion 400169) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_3873 |

## [redacted]

| | |
|---|---|
| **Viruses** | MAP-test [redacted]: [redacted], [redacted], [redacted], [redacted], [redacted], [redacted] 3, PVM, LCM, M.pulmonis, MVM, [redacted] GD VII, [redacted] |
| **Virus susceptibility** | [redacted] |

## EAT | 400169

| | |
|---|---|
| **Reverse transcriptase** | |

### 

| | |
|---|---|
| **Culture Medium** | NCTC-135 ( ; . |
| **Supplements** | FBS 10% |
| **Dissociation Reagent** | |
| **Subculturing** | PBS T25 |
| **Seeding density** | 1 x $10^4$ $/cm^2$ 4 |
| **Fluid renewal** | 2 3 |
| **Post-Thaw Recovery** | $^4$ 24 |
| **Freeze medium** | (FBS) + 10% DMSO |

## EAT | 400169

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. cryovial -150<br>3. 37°C<br>4. 70%<br>5. 15<br>6. 300 x g 3<br>7. 10<br>8. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, |
| **Flask Coating** | |
| **Freezing Procedure** | |
| **Shipping Conditions** | |
| **Storage Conditions** | −150 −196 °C |

## / / HLA

| | |
|---|---|
| **Sterility** | PCR |