Product sheet

[redacted] ME-180 | 300196

[redacted]

Description	[redacted] ME-180 [redacted] [redacted] ME-180 [redacted] [redacted] ME-180 [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	Me-180, ME 180, ME180

[redacted]

Age	66 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	ME-180 ([redacted] Cytion 300196)
Biosafety level	2
NCBI_TaxID	9606

[redacted] ME-180 | 300196

CellosaurusAccession	CVCL_1401

[redacted]

Viruses	HPV68 [redacted]

[redacted]

Culture Medium	McCoys 5a, w: 3.0 [redacted], w: [redacted], w: 2.0 [redacted], w: 2.2 [redacted] NaHCO3 ([redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

ME-180 | 300196

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR