Product sheet

[redacted] HK EGFP-LaminB1/H2B-mCherry | 300919

[redacted]

Description	[redacted] HK EGFP-LaminB1/H2B-mCherry [redacted] Hela Kyoto [redacted] [redacted] [redacted] H2B [redacted] mCherry [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted]; [redacted] B1; [redacted] H2B; [redacted]
Synonyms	HeLa Kyoto EGFP-LaminB1 [redacted] H2B-mCherry

[redacted]

Age	30 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	HK EGFP-LaminB1/H2B-mCherry ([redacted] Cytion 300919)
Biosafety level	1
NCBI_TaxID	9606

[redacted]HK EGFP-LaminB1/H2B-mCherry | 300919

CellosaurusAccession	CVCL_UR41
Depositor	[redacted] (EMBL)
GMO Status	GMO-S1: [redacted] HeLa Kyoto [redacted] EGFP-Lamin B1 [redacted] H2B-mCherry [redacted]

[redacted]

Protein expression	EGFP-LaminB1/H2B-mCherry
Products	[redacted] H2B

[redacted]

Culture Medium	DMEM, w: 4.5 [redacted]/[redacted] [redacted], w: 4 [redacted] [redacted], w: 3.7 [redacted]/[redacted] NaHCO3, w: 1.0 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]/[redacted]^
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO

HK EGFP-LaminB1/H2B-mCherry | 300919

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR