Product sheet

[redacted] MC3T3-E1 [redacted] 14 | 305185

[redacted]

Description	[redacted] MC3T3-E1 Subclone 14 [redacted] MC3T3-E1 Subclone 14 [redacted] (3 [redacted] 4 [redacted]) [redacted] MC3T
Organism	[redacted]
Tissue	[redacted], [redacted]
Applications	[redacted], [redacted]
Synonyms	MC3T3-E1 SUBCLONE 14

[redacted]

Breed/Subspecies	C57BL/6
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	MC3T3-E1 Subclone 14 ([redacted] Cytion 305185)
Biosafety level	1

[redacted] MC3T3-E1 [redacted] 14 | 305185

NCBI_TaxID	10090
CellosaurusAccession	CVCL_5437

[redacted]

Protein expression	[redacted]
Tumorigenic	[redacted]

[redacted]

Culture Medium	[redacted] MEM, w: [redacted] 2.0 [redacted], w: [redacted], w: [redacted], w: [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO

MC3T3-E1 14 | 305185

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR