Product sheet

# [redacted] ES-2 | 305038

## [redacted]

| | |
|---|---|
| **Description** | [redacted] ES-2 [redacted] [redacted] [redacted] ES-2 [redacted] [redacted], [redacted], |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Disease** | [redacted] |
| **Synonyms** | ES2 |

## [redacted]

| | |
|---|---|
| **Age** | 47 [redacted] |
| **Gender** | [redacted] |
| **Ethnicity** | [redacted] |
| **Morphology** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | ES-2 ([redacted] Cytion 305038) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_3509 |

## [redacted]

## ES-2 | 305038

| | |
|---|---|
| **Protein expression** | |
| **Tumorigenic** | |

### 

| | |
|---|---|
| **Culture Medium** | McCoys 5a, w: 3.0 / , w: , w: 2.0 , w: 2.2 / NaHCO3 ( |
| **Supplements** | FBS 10% |
| **Dissociation Reagent** | |
| **Subculturing** | PBS T25 |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | ( FBS) + 10% DMSO |
| **Thawing and Culturing Cells** | |

1. 
2. cryovial -150 
3. 37°C 
4. 70%
5. 15 
6. 300 x g 3 
7. 10 
8. 

## [redacted] ES-2 | 305038

| | |
|---|---|
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, [redacted] |
| **Flask Coating** | [redacted] |
| **Freezing Procedure** | [redacted] |
| **Shipping Conditions** | [redacted] |
| **Storage Conditions** | [redacted] −150 [redacted] −196 °C [redacted] |

## [redacted] / [redacted] / HLA

| | |
|---|---|
| **Sterility** | [redacted] PCR [redacted] [redacted] [redacted] [redacted] [redacted] |