

Product sheet

U-343 MG [REDACTED] | 300365

[REDACTED]

**Description** [REDACTED] U-343 MG [REDACTED]  
[REDACTED] U-343 MG [REDACTED]

**Organism** [REDACTED]

**Tissue** [REDACTED]

**Disease** [REDACTED]

**Synonyms** U-343MG, U-343-MG, U343MG, U-343, U343, 343 MG, 343MG

[REDACTED]

**Age** 54 [REDACTED]

**Gender** [REDACTED]

**Ethnicity** [REDACTED]

**Morphology** [REDACTED]

**Growth properties** [REDACTED]

[REDACTED]

**Citation** U-343 MG ([REDACTED] Cytion 300365)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_S471

[REDACTED]

Product sheet

U-343 MG  | 300365

**Receptors expressed** GFAP: 95% 

**Tumorigenic** 



**Culture Medium** EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO<sub>3</sub>, w: EBSS ( Cytion 820100a)


**Supplements**  FBS 10%  NEAA 1%

**Dissociation Reagent** 

**Subculturing**  PBS   T25 

**Seeding density**  $2 \times 10^4$   / 

**Fluid renewal** 2  3 

**Freeze medium**   50% basal medium + 40% FBS + 10% DMSO  CM-1 (

U-343 MG | 300365

### Thawing and Culturing Cells

- 1.
2. cryovial -150
3. 37°C
4. 70%
5. 15
6. 300 x g 3
7. 10
- 8.

**Incubation Atmosphere** 37°C, 5%<sub>CO2</sub>

**Flask Coating**

**Freezing Procedure**

**Shipping Conditions**

**Storage Conditions** -150 -196 °C

/ / HLA

**Sterility** PCR

U-343 MG  | 300365

---

 HLA    **A\***: '02:01:01, '03:01:01  
   **B\***: '07:02:01, '47:01:01  
   **C\***: '06:02:01, '07:02:01  
   **DRB1\***: '04:05:01, '15:01:01  
   **DQA1\***: '01:02:01, '03:03:01  
   **DQB1\***: '03:01, '06:02  
   **DPB1\***: '04:01:01  
   **E**: '01:01:01