



**HBL-52 | 300188**

**XXXXXXXXXX**

**Culture Medium** McCoy5 5a, w: 3.0 g/l / 3.0 g/l, w: 2.0 g/l, w: 2.2 g/l NaHCO3 (g/l)

**Supplements** FBS 10%

**Dissociation Reagent** XXXXXXXX

**Subculturing** PBS XXXXXXXX T25 XXXXXXXX

**Seeding density**  $5 \times 10^3$  /  $3 \times 10^3$  /  $4 \times 10^3$

**Fluid renewal** 2 - 3 XXXXXXXX

**Post-Thaw Recovery** 24 - 48 XXXXXXXX

**Freeze medium** XXXXXXXX 50% basal medium + 40% FBS + 10% DMSO XXXXXXXX CM-1 (XXXXXX)

- Thawing and Culturing Cells**
1. XXXXXXXX
  2. XXXXXXXX cryovial XXXXXXXX -150 XXXXXXXX
  3. XXXXXXXX 37°C XXXXXXXX
  4. XXXXXXXX 70%
  5. XXXXXXXX 15 XXXXXXXX
  6. XXXXXXXX 300 x g XXXXXXXX 3 XXXXXXXX
  7. XXXXXXXX 10 XXXXXXXX
  8. XXXXXXXX

