





**Calu-1 | 300141**

**Thawing and Culturing Cells**

1. 

1. Thaw the cryovial in a water bath at 37°C.
2. 

2. Add the cells to a cryovial containing 1 ml of cryovial medium.
3. 

3. Incubate the cells in a water bath at 37°C.
4. 

4. Seed the cells into a well of a 96-well plate at 70% confluency.
5. 

5. Incubate the cells in a water bath at 37°C for 15 minutes.
6. 

6. Wash the cells with 300 µl of PBS (3 times).
7. 

7. Add 10 µl of the cell suspension to each well.
8. 

8. Incubate the cells in a water bath at 37°C.

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub>, humidified

**Flask Coating**

None

**Freezing Procedure**

1. Harvest the cells into a cryovial containing 1 ml of cryovial medium.

**Shipping Conditions**

Store at -150 to -196 °C.

**Storage Conditions**

Store at -150 to -196 °C.

ATCC CCL-22 / ATCC CCL-22 / HLA

**Sterility**

1. The cells are provided in a cryovial containing 1 ml of cryovial medium.

2. The cells are provided in a cryovial containing 1 ml of cryovial medium.

**XXXXXXXX Calu-1 | 300141**

---

**XXXXXXXXXXXX HLA**    **A\***: '26:01:01, '29:02:01  
                                  **B\***: 15:01:01, 44:03:01  
                                  **C\***: 03:04:01,  
                                  **DRB1\***: '07:01:01, '14:04:01  
                                  **DQA1\***: '01:04:02, '02:01:01  
                                  **DQB1\***: '02:02:01, '05:03:01  
                                  **DPB1\***: '04:01:01, '11:01:01  
                                  **E**: '01:01:01, '01:03