

XXXXXXXX MCA-3D | 400437

Culture Medium	Ham's F12, w: 1.0 mM XXXXXXXXXXXXXXXXXXXX , w: 1.0 mM XXXXXXXXXXXXXXXXXXXX , w: 1.1 g/L NaHCO ₃ (XXXXXXXXXXXXXXXXXXXX Cytion 820600a)
Supplements	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX FBS 10%
Dissociation Reagent	XXXXXXXXXXXX
Subculturing	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX PBS XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX (3-5 XXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX T25, 5-10 XXXX)
Seeding density	0.5 XXXX 1 XXXX \times 10^4 XXXXXXXXXXXXXXXXXXXX
Fluid renewal	2 XXXX 3 XXXXXXXXXXXXXXXXXXXX
Post-Thaw Recovery	XXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 24 XXXXXXXXXXXX
Freeze medium	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX (XXXX FBS) + 10% DMSO
Thawing and Culturing Cells	<ol style="list-style-type: none">XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXX cryovial XXXXXXXXXXXXXXXXXXXX -150 XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX 37°C XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX 70%XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX 15 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 300 x g XXXXXXXXXXXX 3 XXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX 10 XXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX
Incubation Atmosphere	37°C, 5% CO ₂ , XXXXXXXXXXXXXXXXXXXX

