Product sheet

[illegible] HEK293-F | 300260

[illegible]

Description	[illegible] HEK293-F [illegible] [illegible]-[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] 293 [illegible] [illegible] [illegible] [illegible] ([illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible]
Organism	[illegible]
Tissue	[illegible]
Applications	[illegible] [illegible]
Synonyms	HEK-293-F, HEK 293-F, HEK-293F, HEK293F, 293-F, 293 F, 293F

[illegible]

Age	[illegible]
Gender	[illegible]
Morphology	[illegible] [illegible]
Growth properties	[illegible]

[illegible] [illegible]

Citation	HEK293-F ([illegible] [illegible] Cytion 300260)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6642
GMO Status	GMO-S1: [illegible] [illegible] HEK293-F [illegible] [illegible] SV40, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible]

[illegible] [illegible]- [illegible]

HEK293-F | 300260

Receptors expressed	
Protein expression	CEA , p53
Tumorigenic	
Viruses	DNA 5 DNA 5

Culture Medium	CD293 (Thermo)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Doubling time	30
Subculturing	-PBS . T25, -3-5 ' PBS, 3 . , , .
Seeding density	1 x 10^4 -4 .
Fluid renewal	
Post-Thaw Recovery	24 .
Freeze medium	(FBS) + 10% DMSO , C

[redacted]HEK293-F | 300260

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted]
4. [redacted]
5. [redacted]
6. [redacted]
7. [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]