Product sheet

[illegible] B-LCL-HROC72 | 302082

[illegible]

Description	B-LCL-HROC72 [illegible] (EBV) [illegible] B [illegible] B [illegible], [illegible]. [illegible], B-LCL-HROC72 [illegible] B [illegible], [illegible] CD19 [illegible]-CD20, [illegible] [illegible], B-LCL-HROC72 [illegible] ([illegible], IgG, IgM [illegible] IgA), [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Metastatic site	[illegible] ([illegible] B-LCL [illegible] EBV [illegible])
Applications	[illegible] T [illegible] NK; [illegible] HLA; [illegible]; [illegible] CTL; [illegible]; [illegible]

[illegible]

Ethnicity	[illegible]
Morphology	[illegible] ([illegible])
Cell type	[illegible] B
Growth properties	[illegible]

[illegible]

Citation	B-LCL-HROC72 ([illegible] Cytion 302082)
Biosafety level	2
NCBI_TaxID	9606
CellosaurusAccession	[illegible]

Product sheet

[illegible] B-LCL-HROC72 | 302082

GMO Status	GMO-S2: [illegible] B-LCL [illegible] EBV [illegible] (EBNA-1/-2/-3, LMP-1/-2). [illegible] EBV [illegible]

[illegible]

Viruses	[illegible]: EBV

[illegible]

Culture Medium	RPMI 1640, w: 2.0 mM [illegible], w: 2.0 g/L $NaHCO_3$ ([illegible] Cytion 820700a)
Supplements	[illegible] 10% FBS [illegible]
Subculturing	[illegible] 5 [illegible]
Freeze medium	[illegible], [illegible] ([illegible] FBS) + 10% DMSO [illegible], [illegible] C
Thawing and Culturing Cells	1. [illegible], [illegible] 2. [illegible], [illegible] -150°C [illegible], [illegible] 3. [illegible], [illegible] 37 [illegible] 4. [illegible], [illegible] 70% [illegible]. 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] -300 x g [illegible] 3 [illegible], [illegible] 7. [illegible] -10 [illegible]. [illegible], [illegible] T2 8. [illegible] -[illegible], [illegible].
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible].
Flask Coating	[illegible]

[redacted]B-LCL-HROC72 | 302082

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]