Product sheet

[illegible] B-LCL-HROC75 | 302084

[illegible]

Description	B-LCL-HROC75 [illegible] (EBV) [illegible] B [illegible] B [illegible], [illegible]. [illegible], B-LCL-HROC75 [illegible] B [illegible], [illegible] CD19 [illegible] CD20, [illegible] [illegible], B-LCL-HROC75 [illegible] ([illegible], IgG, IgM [illegible] IgA), [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	Bc HROC75

[illegible]

Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Cell type	[illegible] B
Growth properties	[illegible]

[illegible]

Citation	B-LCL-HROC75 ([illegible] Cytion 302084)
Biosafety level	2
NCBI_TaxID	9606
CellosaurusAccession	CVCL_C0W6

[redacted]B-LCL-HROC75 | 302084

[redacted]

Surface antigens	CD19
Viruses	[redacted]: EBV

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS [redacted]
Subculturing	[redacted] 5 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted].
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted]-300 x g [redacted] 3 [redacted]
7. [redacted]-10 [redacted]
8. [redacted].

Incubation Atmosphere	37°C, 5%$_{CO2}$, [redacted]
Flask Coating	[redacted]

[redacted]B-LCL-HROC75 | 302084

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]